

Aluminium Handwheels without Revolving handle - without keyway slot

PART NO	D1	D2	D3	L1	L3	NO OF SPOKES	APPROX Δ (Kg's)
MI-AL-80-10-0	80	10	24	16	29	3	0.100
MI-AL-80-12-0	80	12	24	16	29	3	0.100
MI-AL-100-10-0	100	10	26	17	30	3	0.160
MI-AL-100-12-0	100	12	26	17	30	3	0.160
MI-AL-125-12-0	125	12	28	18	36	3	0.265
MI-AL-125-14-0	125	14	28	18	36	3	0.265
MI-AL-160-14-0	160	14	39	20	40	3	0.415
MI-AL-160-16-0	160	16	39	20	40	3	0.415
MI-AL-200-18-0	200	18	40	24	45	3	0.855
MI-AL-200-22-0	200	22	40	24	45	3	0.855
MI-AL-250-22-0	250	22	50	28	51	5	1.600
MI-AL-250-26-0	250	26	50	28	51	5	1.600

Material : Handwheel Aluminium

Revolving Grips :

- Steel / Aluminium Revolving Handles
- Thermo plastic handles (Optional)


Finish :

- Wheel Rim Turned & Mirror polished


On Request :

- Different bore sizes
- Hubs with square socket
- Power coated Handwheels


Aluminium Handwheels with Revolving handle - without keyway slot

PART NO	D1	D2	D3	L1	L2	L3	NO OF SPOKES	REVOLVING MACHINE HANDLE	APPROX  (Kg's)
MI-AL-REV-80-10-0	80	10	24	16	84	29	3	M6	0.145
MI-AL-REV-80-12-0	80	12	24	16	84	29	3	M6	0.145
MI-AL-REV-100-10-0	100	10	26	17	86	30	3	M6	0.210
MI-AL-REV-100-12-0	100	12	26	17	86	30	3	M6	0.210
MI-AL-REV-125-12-0	125	12	28	18	100	36	3	M8	0.365
MI-AL-REV-125-14-0	125	14	28	18	100	36	3	M8	0.365
MI-AL-REV-160-14-0	160	14	39	20	120	40	3	M10	0.605
MI-AL-REV-160-16-0	160	16	39	20	120	40	3	M10	0.605
MI-AL-REV-200-18-0	200	18	40	24	124	45	3	M10	1.045
MI-AL-REV-200-22-0	200	22	40	24	124	45	3	M10	1.045
MI-AL-REV-250-22-0	250	22	50	28	146	51	5	M12	1.945
MI-AL-REV-250-26-0	250	26	50	28	146	51	5	M12	1.945


Aluminium Handwheels with Revolving handle - with keyway slot

PART NO	D1	D2	D3	L1	L2	L3	K	H	NO OF SPOKES	REVOLVING MACHINE HANDLE	APPROX  KGS
MI-AL-REV-80-10-1	80	10	24	16	84	29	3	11.4	3	M6	0.145
MI-AL-REV-80-12-1	80	12	24	16	84	29	4	13.8	3	M6	0.145
MI-AL-REV-100-10-1	100	10	26	17	86	30	3	11.4	3	M6	0.210
MI-AL-REV-100-12-1	100	12	26	17	86	30	4	13.8	3	M6	0.210
MI-AL-REV-125-12-1	125	12	28	18	100	36	4	13.8	3	M8	0.365
MI-AL-REV-125-14-1	125	14	28	18	100	36	5	16.3	3	M8	0.365
MI-AL-REV-160-14-1	160	14	39	20	120	40	5	16.3	3	M10	0.605
MI-AL-REV-160-16-1	160	16	39	20	120	40	5	18.3	3	M10	0.605
MI-AL-REV-200-18-1	200	18	40	24	124	45	6	20.8	3	M10	1.045
MI-AL-REV-200-22-1	200	22	40	24	124	45	6	24.8	3	M10	1.045
MI-AL-REV-250-22-1	250	22	50	28	146	51	6	24.8	5	M12	1.945
MI-AL-REV-250-26-1	250	26	50	28	146	51	8	29.3	5	M12	1.945

Aluminium Handwheels without Revolving handle - with keyway slot

PART NO	D1	D2	D3	L1	L3	K	H	NO OF SPOKES	APPROX  KGS
MI-AL-80-10-1	80	10	24	16	29	3	11.4	3	0.100
MI-AL-80-12-1	80	12	24	16	29	4	13.8	3	0.100
MI-AL-100-10-1	100	10	26	17	30	3	11.4	3	0.160
MI-AL-100-12-1	100	12	26	17	30	4	13.8	3	0.160
MI-AL-125-12-1	125	12	28	18	36	4	13.8	3	0.265
MI-AL-125-14-1	125	14	28	18	36	5	16.3	3	0.265
MI-AL-160-14-1	160	14	39	20	40	5	16.3	3	0.415
MI-AL-160-16-1	160	16	39	20	40	5	18.3	3	0.415
MI-AL-200-18-1	200	18	40	24	45	6	20.8	3	0.855
MI-AL-200-22-1	200	22	40	24	45	6	24.8	3	0.855
MI-AL-250-22-1	250	22	50	28	51	6	24.8	5	1.600
MI-AL-250-26-1	250	26	50	28	51	8	29.3	5	1.600

Aluminium Handwheels without Revolving handle - without Slot - Blank

PART NO	D1	D3	L1	L3	NO OF SPOKES	APPROX  KGS
MI-AL-80-0-0	80	24	16	29	3	0.100
MI-AL-100-0-0	100	26	17	30	3	0.160
MI-AL-125-0-0	125	28	18	36	3	0.265
MI-AL-160-0-0	160	39	20	40	3	0.415
MI-AL-200-0-0	200	40	24	45	3	0.855
MI-AL-250-0-0	250	50	28	51	5	1.600